




| NFPA  | WHMIS   | PPE   | Transport Symbol                                 |
|---|---|---|--|
|  |  |  | <p style="text-align: center;">Not Regulated</p> |

Preparation Date 08-Dec-2006

Revision Date 15-May-2009

Revision Number 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** Ultra-Shield ICF Waterproofing  
**Product Code** 1724-ICF  
**UN-No**

**Contact Manufacturer**  
 GMX, Inc.  
 9105 Way Ave.  
 Cleveland, OH 44105  
 Ph: (216) 641-7502 Fax: (216) 641-0633

**Emergency Telephone Number** 1-800-762-8225 (24 Hrs.)

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

Irritant

**Appearance** Black.

**Physical State** Liquid.

**Odor** Slight. Odor.

**Mexico - Grade** Slight risk, Grade 1

**Potential Health Effects**

**Principle Routes of Exposure** Skin contact, Eye contact, Inhalation, Ingestion.

**Acute Effects**

**Eyes**  
**Skin**

Avoid contact with eyes. Moderately irritating to the eyes.  
 Avoid contact with skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.

**Inhalation**  
**Ingestion**

May cause irritation of respiratory tract.  
 Harmful if swallowed. Ingestion may cause irritation to mucous membranes.  
 Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

**Chronic Effects**

Prolonged exposure may cause chronic effects. Repeated contact may cause allergic reactions in very susceptible persons.

See Section 11 for additional Toxicological information.

**Main Symptoms** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**Aggravated Medical Conditions** Skin disorders.

**Interactions with Other Chemicals** Not available

**Potential Environmental Effects** See Section 12 for additional Ecological information.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous Components

| Chemical Name     | CAS-No    | Weight % | North American Hazard Indicator |
|-------------------|-----------|----------|---------------------------------|
| Petroleum Asphalt | 8052-42-4 | 30 - 60  | 1                               |
| 2-Butoxyethanol   | 111-76-2  | 0.1 - 1  | 1                               |
| Stoddard solvent  | 8052-41-3 | 5 - 10   | 1                               |

### 4. FIRST AID MEASURES

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin Contact** Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. If symptoms persist, call a physician.

**Ingestion** Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). Foam. Dry powder. Dry chemical.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

**Hazardous Combustion Products** Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Hydrocarbons.

#### Explosion Data

**Sensitivity to mechanical impact** No

**Sensitivity to static discharge** No

#### Specific Hazards Arising from the Chemical

No information available.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA****Health 1****Flammability 0****Instability 0**

|                                       |
|---------------------------------------|
| <b>6. ACCIDENTAL RELEASE MEASURES</b> |
|---------------------------------------|

|                                  |  |
|----------------------------------|--|
| <b>Personal Precautions</b>      | Evacuate personnel to safe areas.  |
| <b>Environmental Precautions</b> | Prevent further leakage or spillage if safe to do so. Keep out of waterways.   |
| <b>Methods for Containment</b>   | Dike with inert absorbant material   |
| <b>Methods for Cleaning Up</b>   | Take precautionary measures against static discharges. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Keep in suitable and closed containers for disposal. |
| <b>Other Information</b>         | Not applicable   |

|                                |
|--------------------------------|
| <b>7. HANDLING AND STORAGE</b> |
|--------------------------------|

|                 |   |
|-----------------|---|
| <b>Handling</b> | Avoid contact with skin and eyes. Ensure adequate ventilation.  |
| <b>Storage</b>  | Keep container tightly closed. Keep in properly labelled containers. Keep out of the reach of children. |

|   |
|---|
| <b>8. EXPOSURE CONTROLS / PERSONAL PROTECTION</b> |
|---|

**Exposure Guidelines**

| Chemical Name     | ACGIH TLV                  | OSHA PEL  | Ontario TWAEV              | Mexico  |
|-------------------|----------------------------|---|----------------------------|---|
| Petroleum Asphalt | TWA: 0.5 mg/m <sup>3</sup> |   | TWA: 0.5 mg/m <sup>3</sup> | STEL: 10 mg/m <sup>3</sup><br>TWA: 5 mg/m <sup>3</sup>                                      |
| 2-Butoxyethanol   | TWA: 20 ppm                | TWA: 240 mg/m <sup>3</sup><br>TWA: 50 ppm<br>Skin | TWA: 20 ppm<br>Skin        | STEL: 360 mg/m <sup>3</sup><br>STEL: 75 ppm<br>TWA: 120 mg/m <sup>3</sup><br>TWA: 26 ppm    |
| Stoddard solvent  | TWA: 100 ppm               | TWA: 2900 mg/m <sup>3</sup><br>TWA: 500 ppm       | TWA: 525 mg/m <sup>3</sup> | STEL: 200 ppm<br>STEL: 1050 mg/m <sup>3</sup><br>TWA: 523 mg/m <sup>3</sup><br>TWA: 100 ppm |

| Chemical Name    | NIOSH IDLH              |
|------------------|-------------------------|
| 2-Butoxyethanol  | 700 ppm                 |
| Stoddard solvent | 20000 mg/m <sup>3</sup> |

**Engineering Measures** Do not allow ventilation equipment to draw material odors indoors..

**Personal Protective Equipment**

|                               |   |
|-------------------------------|---|
| <b>Eye/face Protection</b>    | Safety glasses with side-shields          |
| <b>Skin Protection</b>        | Impervious gloves. Long sleeved clothing. |
| <b>Respiratory Protection</b> | No special protective equipment required. |

**Hygiene Measures**

Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                   |                            |                            |
|-----------------------------------|----------------------------|----------------------------|
| <b>Appearance</b>                 | Black                      |                            |
| <b>Odor</b>                       | Slight Odor                |                            |
| <b>Physical State</b>             | Liquid                     |                            |
| <b>pH</b>                         | pH                         |                            |
| <b>Flash Point</b>                | > 400°F / > 204°C          |                            |
| <b>Autoignition Temperature</b>   | >700°F / >371°C            |                            |
| <b>Boiling Point/Range</b>        | >650°F / >343°C            |                            |
| <b>Freezing Point</b>             | Not available              |                            |
| <b>Flammability Limits in Air</b> | <b>Lower</b> Not available | <b>Upper</b> Not available |
| <b>Explosive Properties</b>       | Not available              |                            |
| <b>Oxidizing Properties</b>       | Not available              |                            |
| <b>Evaporation Rate</b>           | Not available              |                            |
| <b>Vapor Pressure</b>             | Not available              |                            |
| <b>Vapor Density</b>              | >1.0 @ Air = 1             |                            |
| <b>Specific Gravity</b>           | >1.0                       |                            |
| <b>Solubility</b>                 | partly miscible            |                            |
| <b>Water Solubility</b>           | Insoluble                  |                            |
| <b>Volatiles</b>                  | Not available              |                            |
| <b>VOC Content</b>                | 5 g/L                      |                            |

## 10. STABILITY AND REACTIVITY

|   |   |
|---|---|
| <b>Stability</b>                          | Stable under normal conditions.                                   |
| <b>Conditions to Avoid</b>                | No information available.   |
| <b>Incompatible Materials</b>             | No materials to be especially mentioned.                          |
| <b>Hazardous Decomposition Products</b>   | Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). Hydrocarbons. |
| <b>Possibility of Hazardous Reactions</b> | Hazardous polymerisation does not occur                           |

## 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity****Component Information**

| Chemical Name     | LD50 Oral      | LD50 Dermal                        | LC50 Inhalation                      |
|-------------------|----------------|------------------------------------|--------------------------------------|
| Petroleum Asphalt | 5000 mg/kg Rat | 2000 mg/kg Rabbit                  |                                      |
| 2-Butoxyethanol   | 470 mg/kg Rat  | 220 mg/kg Rabbit<br>2270 mg/kg Rat | 2.21 mg/L Rat 4 h<br>450 ppm Rat 4 h |

**Chronic Toxicity**

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name   | ACGIH | IARC | NTP | OSHA | Mexico |
|-----------------|-------|------|-----|------|--------|
| 2-Butoxyethanol | A3    |      |     |      |        |

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

2-Butoxyethanol**Water Flea Data**

*Daphnia magna* LC50=1698 - 1940 mg/L (24 h)

water flea EC50=1720 mg/L (24 h)

**Persistence/Degradability**

Not available

**Bioaccumulation/ Accumulation**

Not available

**Mobility in Environmental Media**

Not available

Petroleum Asphalt

**log Pow = 6**

2-Butoxyethanol

**log Pow = 0.81**

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method**

Dispose of in accordance with local regulations

**Contaminated Packaging**

Empty containers should be taken for local recycling, recovery or waste disposal

**US EPA Waste Number**

Not available

## 14. TRANSPORT INFORMATION

**DOT**

Not Regulated

**Hazard Class**

**Subsidiary Class**

**UN-No**

**Packing Group**

**Reportable Quantity (RQ)**

**TDG**

Not regulated

|                                  |
|----------------------------------|
| <b>14. TRANSPORT INFORMATION</b> |
|----------------------------------|

**Hazard Class**  
**Subsidiary Class**  
**UN-No**  
**Packing Group**

**MEX** Not regulated

**Hazard Class**  
**Subsidiary Class**  
**UN-No**  
**Packing Group**

**ICAO** Not regulated

**UN-No**  
**Hazard Class**  
**Subsidiary Class**  
**Packing Group**

**IATA** Not regulated

**UN-No**  
**Hazard Class**  
**Subsidiary Class**  
**Packing Group**  
**ERG Code**

**IMDG/IMO** Not regulated

**Hazard Class**  
**Subsidiary Class**  
**UN-No**  
**Packing Group**  
**EmS No.**

|                                   |
|-----------------------------------|
| <b>15. REGULATORY INFORMATION</b> |
|-----------------------------------|

**International Inventories**

| Chemical Name     | TSCA | DSL | NDSL | EINECS | ELINCS | ENCS | CHINA | KECL | PICCS | AICS |
|-------------------|------|-----|------|--------|--------|------|-------|------|-------|------|
| Petroleum Asphalt | X    | X   | -    | X      | -      | -    | X     | X    | X     | X    |
| 2-Butoxyethanol   | X    | X   | -    | X      | -      | X    | X     | X    | X     | X    |
| Stoddard solvent  | X    | X   | -    | X      | -      | -    | X     | X    | X     | X    |

**TSCA** Does not Comply  
**DSL** Does not Comply  
**NDSL** Complies  
**EINECS** Does not Comply  
**ELINCS** Does not Comply  
**ENCS** Does not Comply

CHINA Does not Comply  
 KECL Does not Comply  
 PICCS Does not Comply  
 AICS Does not Comply

**USA****Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product does not contain any HAPs.

**State Regulations****California Proposition 65**

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

**State Right-to-Know**

| Chemical Name     | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-------------------|---------------|------------|--------------|----------|--------------|
| Petroleum Asphalt | X             | X          | X            |          | X            |
| 2-Butoxyethanol   | X             | X          | X            |          | X            |
| Stoddard solvent  | X             | X          | X            |          | X            |

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

D2B Toxic materials

|                              |
|------------------------------|
| <b>16. OTHER INFORMATION</b> |
|------------------------------|

Preparation Date 08-Dec-2006

Revision Date 15-May-2009

Revision Summary Not available

**Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**